

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Seal - Krete Degreaser

PART NUMBER:

GENERAL USE: Cleaning agent

PRODUCT DESCRIPTION: White granular powder, characteristic mild odor



MANUFACTURER'S NAME

Seal-Krete

DATE PREPARED: April 16, 2009

SUPERSEDES: New

Page 1 of 4

ADDRESS (NUMBER, STREET, P.O. BOX)

306 Gandy Road

TELEPHONE NUMBER FOR INFORMATION

(800) 323-7357

(CITY, STATE AND ZIP CODE)

Auburndale, FL 33823-2723

COUNTRY

USA

EMERGENCY TELEPHONE NUMBER

Chemtrec (800) 424-9300 Outside USA (703) 527-3887

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

White granular powder, corrosive, airborne dust particles are harmful and irritating to respiratory tract. Contact with skin may cause irritation. Contact with eyes may cause severe irritation and chemical burns. Hazard Symbols for this product: C. Risk Phrases - R34, 37

POTENTIAL HEALTH EFFECTS

INHALATION: Breathing airborne particles or dust from mixing, spraying, sanding, grinding, etc. may cause severe irritation to respiratory tract. High alkalinity is corrosive to mucous membranes.

SKIN: Contact may cause severe irritation and painful burns on exposed skin.

EYES: Contact with eyes will cause severe irritation and painful burns to eyes. High alkalinity is corrosive to eyes.

INGESTION: May cause gastric distress, stomach pains, vomiting and diarrhea. May cause painful, severe burns to gastro - intestinal tract.

CARCINOGENICITY

NTP?

No

IARC MONOGRAPHS?

No

OSHA REGULATED?

No

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS #	EINECS #	% (by weight)	OSHA PEL		ACGIH TWA		RQ LBS
				PPM	MG/M3	PPM	MG/M3	
Sodium metasilicate, Anhydrous	6834-92-0	229-912-9	10 - 30		6			
Sodium phosphate, tribasic (STPP) (a)	7758-29-4	231-838-7	10 - 30		5		5	5000
Sodium carbonate (nuisance dust)	497-19-8	207-838-8	50 - 80		15			

The remaining components of this product are non-hazardous or are in small enough quantities as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

(a) See Section 15

MATERIAL SAFETY DATA SHEETPRODUCT NAME: Seal - Krete Degreaser
April 16, 2009

Page 2 of 4

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air, flush mouth and nasal passages with water repeatedly. If irritation persists, seek medical attention.

SKIN: Remove contaminated clothing; flush affected area with water; neutralize affected area with diluted vinegar or lemon juice; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; seek immediate medical attention.

INGESTION: Give large quantities of milk or water; DO NOT induce vomiting; give diluted vinegar, lemon juice, or orange juice. Never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES**FLASH POINT (METHOD USED)**

Non-flammable

FLAMMABLE LIMITS

LEL: Not applicable

UEL: Not applicable

AUTOIGNITION TEMPERATURE:

Not determined

NFPA CLASS: **None**

GENERAL HAZARDS: Product is corrosive. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

CAUTION - material is corrosive.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution - CORROSIVE. Small spills - wash to sanitary sewer with plenty of water. Large spills - Recover and segregate product for reuse; shovel product into approved container for disposal. For spills in excess of allowable quantities (RQ) notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for detailed instructions concerning reporting requirements. Do not discharge into lakes, ponds, streams or public waters.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Store in cool, dry area. CAUTION - material is corrosive. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**ENGINEERING CONTROLS**

The use of local exhaust ventilation and airborne particle collection is recommended. Use corrosion-resistant ventilation equipment.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, etc. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for regulations.

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to prevent skin contact, safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal - Krete Degreaser
 April 16, 2009

Page 3 of 4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR White granular powder, characteristic mild odor	VAPOR DENSITY (AIR = 1) Not applicable
SPECIFIC GRAVITY (WATER = 1) 1.559	EVAPORATION RATE (Water = 1) Not applicable
SOLUBILITY IN WATER Complete	% VOLATILE (BY WEIGHT) 1.60%
pH 13.5 - 14.0	VAPOR PRESSURE Not applicable
BOILING POINT Not applicable	FREEZING POINT Not applicable
VISCOSITY Solid	VOLATILE ORGANIC COMPOUNDS (VOC's) None

SECTION 10 - STABILITY AND REACTIVITY

STABILITY UNSTABLE: STABLE: X	CONDITIONS TO AVOID: Avoid generating airborne dust.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids, strong alkalies.	

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: X	CONDITIONS TO AVOID: None
---	---------------------------

SECTION 11 - TOXICOLOGICAL INFORMATION

Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient Species and Route	LC50 of Ingredient Species
Sodium metasilicate, Anhydrous	6834-92-0	229-912-9	1153 mg / kg Oral - rat	Not established
Sodium phosphate, tribasic (STPP) (a)	7758-29-4	231-838-7	3120 mg / kg Oral - rat	Not established
Sodium carbonate (nuisance dust)	497-19-8	207-838-8	4020 mg / kg Oral - rat	1200 mg / m3 / 2H Inhalation - mouse

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete waste disposal regulations for corrosive materials. Consult your local, state, or federal agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Disodium trioxosilicate mixture

DOT HAZARD CLASS / Pack Group: 8 / III	IATA HAZARD CLASS / Pack Group: 8 / III
REFERENCE: 49 CFR 173.154, .213, .240	IMDG HAZARD CLASS: 8 / III
UN / NA IDENTIFICATION NUMBER: UN 3253	RID/ADR Dangerous Goods Code: 8 (16B)
LABEL: CORROSIVE	UN TDG Class / Pack Group: 8 / III
HAZARD SYMBOLS: C	Hazard Identification Number (HIN): 80

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal - Krete Degreaser
 April 16, 2009

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories
 Immediate health

313 Reportable Ingredients:
 None

CERCLA (Comprehensive Response Compensation and Liability Act)

(a) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture > 24,000 lbs) or greater amounts, according to 40 CFR 302.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: E

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1

VbK Index: Not applicable

Risk Phrases

R34 Causes burns.
 R37 Irritating to respiratory system.

SYMBOL(S) REQUIRED FOR LABEL

Corrosive



Safety Phrases

S13 Keep away from food, drink and animal foodstuffs.
 S24/25 Avoid contact with skin and eyes.
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

HMIS HAZARD RATINGS

HEALTH	1	* = Chronic Health Hazard	2 = MODERATE
FLAMMABILITY	0	0 = INSIGNIFICANT	3 = HIGH
PHYSICAL HAZARD	0	1 = SLIGHT	4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT F Safety Glasses, Gloves, Apron, Dust Respirator

REVISION SUMMARY:

This MSDS has been revised in the following sections:
 No changes noted

MSDS Prepared by:

Comprehensive Data Base, Inc.
 P.O. Box 686
 Seffner, FL 33583 USA
 (863) 644 - 3298 www.compdatabase.com or www.msds.cc

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.